CONTRACTOR SUPPLY PRODUCTS

Index

| Product | Page |
|--|----------|
| Pipe and Fittings | L1, L2 |
| Geotextile Filter Fabrics & Grids | L3 |
| Highway Grates, Covers & Hatches | L4 |
| Polydrain | L5 |
| Residential On-site Sewage Disposal Products | L6 |
| Concrete Forms and Accessories | L7 - L10 |
| Fabricated Reinforcing Bar | L11 |

Binghamton Precast & Supply is well known to many contractors as a competitive source for various construction supplies.

Products Include:

- Concrete forms and accessories
- Pipe and fittings
- Geotextile fabrics and grid
- Highway grates, covers and hatches
- Polydrain surface drainage systems
- On-site sewage disposal products
- Fabricated reinforcing bar for on site cost in place construction

Binghamton Precast & Supply is a full service company providing the products that construction needs.

Binghamton



18 Phelps Street, Binghamton, NY 13901

Fax: (607) 722-0496


Email: sales@binghamtonprecast.com

Phone: (607) 722-0334

Toll Free: 1-800-336-1474

Pipe and Fittings

Rubber Couplings



Sizes: 1-1/2" x 1-1/2" through 15" x 15"

Types: CIP, PVC, Copper, Steel or Lead to CIP, PVC Copper, Steel or Lead

Clay to Clay

Clay to Cast Iron or Plastic

Multi-Cement



1/2 Pint

Quart

Pipe


Our pipe product lines include complete product offerings. For sprinkler systems, irrigation systems, leach line piping, culvert and drainage piping and more. Select from our inventory of pipes listed below.

Prices may increase or decrease on a weekly basis. Please check for current prices.

P = Perforated S = Solid

| | 1 | THWALL | | SEWER | & DRAIN | | SDR-35 SEWER PIPE | SCD-40 D.W.V. | | FLOW JGATED RDRAIN | POLYETHYLENE CULVERT PIPE |
|--------|------|--------|------|-------|----------------------------------|--------------------|-------------------------|------------------|---------|--------------------------|------------------------------|
| SIZE | P/ft | S/ft | P/ft | S/ft | 1/2 Pallet 600' Per ft. Price | ½ Pallet Swings | S/ft | S/ft | P/ft | S/ft | S/ft |
| 11/2" | | _ | _ | _ | - | _ | _ | | _ | | _ |
| 2" | _ | _ | _ | _ | - | | _ | | _ | _ | _ |
| 3" | _ | _ | _ | _ | | | | | _ | _ | - |
| 4" | | | | | | | | | | | _ |
| 6" | | | | | | | | | | | |
| 8" | | _ | - | _ | _ | | | AVAIL. | | _ | |
| 10" | | _ | _ | | | | | AVAIL. | | | |
| 12" | | | _ | _ | _ | | | AVAIL. | | _ | |
| 15" | | _ | _ | _ | _ | _ | | | | | |
| Length | 1 | σ | | 1 | o | | 13' | 10' | 100' or | 250'roii | 20′ |





18 Phelps Street, Binghamton, NY 13901

Fax: (607) 722-0496

Email: sales@binghamtonprecast.com

Phone: (607) 722-0334

Toll Free: 1-800-336-1474



SDR-35 Fittings

| Item | Size | Ctn | | item | Size | Ctri | | Item | Size | Ctn |
|-----------------|--------|-----|---------|------------|------|------|----------------|-------------|-------|--------|
| | | | 90" ELL | Size | Q1.y | | FEMALE ADAPTER | | 40 | |
| COUPLING REPAIR | | | | SO ELL | | | [| I E WALE AL | APTER | 1 |
| - | 4 | 36 | | | 4 | 20 | | | | 11 |
| 1 1 | 6 | 12 | 1. | | 6 | 6 | | | 4 | 20 |
| | - g | 2 | | GxG | .8 | 2 | | | 6 | 12 |
| GxG | | | | 45" ELL | | | | HxFIPT | | |
| TEE | | | | | 4 | 2C | | CAP 3034 | | |
| | 4 | 15 | | | 6 | 8 | | _ | | |
| | 6x6x4 | õ | | | - | - 1 | | | 4 | 40 |
| | a | . 4 | | GxG | 8 | 6 | | # - | - 6 | 25 |
| | 8x8x8 | 4 | | 45' ELL | | | | | 8. | 5 |
| GxGxG | 8 | 3 | | | 4 | 24 | | G | | |
| WYE | | | | Y | 6 | 8 | | SPIGCT PL | JG . | \neg |
| | .1 | 10 | | 0.000 | ۰ | 1 | | | | |
| | 6x6x4 | 4 | | GxSPG | | | | | 4 | 30 |
| | 6 | 4 | | 221/2 ELL | | | 1 | | 6 | 24 |
| | 8x8x4 | 2 | | [7] | 4 | 15 | | | 8 | 5 |
| | 8x8x6 | 3 | . | AI | 6 | 10 | | SPG | | |
| GxGxG: | 8 | 2 | . | GxG | 8 | 8 | | INCREASER | | \neg |
| MALE THHE | 10.00 | | | | ° | - | | | - 1 | |
| MALE IMME | JU PLL | ~ | | 221/2" ELL | | | - 1 | | 4x6 | 20 |
| | 4 | 60 | | 27 | 4 | 15 | | | 6x8 | 6 |
| | 6 | 30 | | 17 | 6 | 10 | | | 8x10 | 1 |
| | _ | | 1 | GxSPG | n | 10 | | GxSPG | 10×12 | i |
| | | | 1 | unaru | [| | | | | |

Corrugated Fittings

| ITEM | SIZE | CTN. QTY. | |
|---------------------|-------------------|-----------------|--|
| Internal Coupler | 4" 6" | 50 20 | |
| Split Coupler | 10" 12" 15" | 5 5 5 | |
| 90° Elbow | 4" 6" | 2 5 5 | |
| WYE | 4" 6" | 10 5 | |
| Tee | 4" 6" | 25 5 | |

SDR-40 Fittings

| Item COUPLING | Size | Ctn Qty | item CLEANOUT | Size PLUG | Ctn Qty | ltem 90 ELBO | Size | Ctn Qty | |
|------------------|---------------------------------------|----------------------|------------------|-------------------------------------|---------------------------|-----------------|---------------------------------------|---------------------------|--|
| | 1 ¹ / ₂ 2 3 4 6 | 25 25 60 45 | 77 | 1½2 3 4 6 | 120 30 30 10 | | 1 ¹ √2 2 3 4 6 | 25 25 30 10 | |
| FLUSH BUS | 2x1½ 3x2 4x3 6x4 | 65 40 30 25 | 22.5°ELBO | 1½2 2 3 4 | 30 40 30 15 | WYE | 1½ 3 4 | 55 10 5 2 | |
| FEMALE AC | 1½ 2 3 4 | 25 20 10 10 | 45° ELBOV | 1 ¹ / ₂ 2 3 4 | 40 25 20 10 5 | SANITARY | 1½ 2 3 4 6 | 25 10 15 12 3 | |

Sewer and Drain Fittings

| | | | |
|-----------------------------|----------|-----------------|--------------|
| ITEM | | SIZE | CTN. QTY. |
| Coupling HxH | | 4" 6" | 40 |
| Bushings SPGxH | | 6"x4" | 18 |
| 90° ¼ Bend Long HxH Turn | ₹. | 4" 6" | 30 — |
| 45° 1/s Bend HxH | 4 | 4" 6" | 50 — |
| 22½° ½16 Bend HxH | ∇ | 4" 6" | 25 — |
| 45° Wye HxHxH | | 4" 6" | 22 — |
| Tee HxHxH | | 4" 6" | 25 — |
| Cross HxHxH | ## | 4" | 12 |
| CAP H | J | 4" 6" | 80 |
| Downspout Adapte DSxH | | 3"x4"x4" | 25 |
| Drain Grate SPG | | 4" | 30 |

Phone: (607) 722-0334

Binghamton



18 Phelps Street, Binghamton, NY 13901


Fax: (607) 722-0496 Toll Free: 1-800-336-1474

Email: sales@binghamtonprecast.com Website: www.binghamtonprecast.com


Geotextile Filter Fabrics & Grids

Silt Fence

The fence is designed to stop sedimentation runoff and erosion on construction sites. For added convenience, the silt fence comes pre-assembled with pre-attached oak stakes.



Prefabricated Silt Fence with Pockets




Silt Geotextiles for Paving

As a separator in paving construction, fabrics prevent the development of "alligator cracks," potholds and ruts, and enhance the load-bearing capacity of any paved surface.



Silt Geotextiles for Septic Systems

Used in drainage, landscaping and septic projects, geotextiles preserve the capacity of leach fields, while spunbonded fibers resist acids, alkalis and microorganisms.







Soil Stabilization Grids

These high performance materials consist of an open polymer grid structure specifically designed to interact with the soil in a wide variety of civil engineering applications.

18 Phelps Street, Binghamton, NY 13901

Fax: (607) 722-0496

Email: sales@binghamtonprecast.com


Phone: (607) 722-0334

Toll Free: 1-800-336-1474



Highway Grates, Covers & Hatches

L4



nigii voiuille, nigii value

From the surface, one diamond plate pattern looks much the same as the other, but Binghamton Precast & Supply has gone beneath the surface and developed a large, easily accessible in-stock selection of castings, hatches and materials that are ready-for-delivery. Quality materials and BP&S rapid sales response will give added value to your project.

Binghamton



18 Phelps Street, Binghamton, NY 13901

Fax: (607) 722-0496


Email: sales@binghamtonprecast.com

Phone: (607) 722-0334

Toll Free: 1-800-336-1474


.5 Polydrain


Typical PolyDrain System



Pre-Sloped Radius Channels


Standard PolyDrain channels have a built-in 0.6% slope with a smooth radius bottom and a narrow cross section. These features provide excellent hydraulic efficiency and when hydraulically loaded can achieve flow velocities of 3.5 feet per second.





Interlocking Joints

PolyDrain channels have interlocking togue-and-groove joints that serve two important functions. First they aid in Maintaining proper channel alignment during the pour. Second, they assist in securing channel connections to prevent fluid migration out of the system. ABT maintains a line of sealants that can be applied to channels when a sealed system is required.





18 Phelps Street, Binghamton, NY 13901

Fax: (607) 722-0496

Email: sales@binghamtonprecast.com

Phone: (607) 722-0334

Toll Free: 1-800-336-1474



Residential On-site Sewage Disposal Products L6

Goulds Pump



- Various styles & sizes
- Full line of accessories

Syphon

No moving parts to wear out

• Dosage determined by size of chamber

3" & 4" in stock

Call our sales department for assistance

Alarm



Tank Alarm I - Alarm System (indoor)

Tank Alarm II - Alarm System (indoor & outdoor)

Horn and light warn of high or low liquid levels.

HDPE Recycled Plastic Manhole Adjusting Rings



Easily adjusts to any grade & slope.

Speed Leveler

TUF-TITE

Made of tough, high-density polyethylene. Tuf-Tite speed levelers provide maximum flow control.



Zabel Filter



The **Zabel Filter** provides an effective mean of preventing solids from clogging drain fields by removing 68% of the solids in the effluent.

Broome County Approved!

Bio-Jet 7



Bio-Jet 7 is formulated to replenish and supplement bacteria populations and bacterial functions in septic tanks, wastewater treatment plants, ponds and lagoons. Overcomes

problems such as odors, plugged drain fields and excessive solid accumulation.

Per gal. & 5 gal. pail.

J-1 Chlorinator



Designed to provide positive flow through contact with chlorine tablets, the convenient

J-1 Chlorinator avoids over-saturation and because it takes any brand of 3" tablet, eliminates timely searching for under-sized tablets.

Binghamton



Precast & Supply 18 Phelps Street, Binghamton, NY 13901

Fax: (607) 722-0496

Email: sales@binghamtonprecast.com

Phone: (607) 722-0334

Toll Free: 1-800-336-1474

Concrete Forms and Accessories

– ALUMINUM FORMING SYSTEM –



NOMINAL/FULL WALL TIES STANDARD BREAK BACK

ULTIMATE LOAD (LBS.) 7,000

ALUM. NOM./FULL

4" thru 24" stock items.

TWO COMBO

ALUM. NOM./FULL


6-8" 8-10" 10-12" 12-14" 14-16" 16-18" 18-20" 20-22" 22-24"

THREE COMBO

ALUM. NOM./FULL

6-8-10" 8-10-12" 10-12-14" 12-14-16" 14-16-18" 16-18-20" 18-20-22" 20-22-24"

Over 24" built upon request.





1" BREAK BACK TIES

ULTIMATE LOAD (LBS.) 7,000

ALUM. NOM.

6" 8" 10" 12" 14" 16" 18" 20" 22" 24" **ALUM. FULL**

6" 8" 10" 12" 14" 16" 18" 20" 22" 24"

Over 24" built upon request.



BRICK FACE TIES

ULTIMATE LOAD (LBS.) 7,000


NOMINAL BRICK FACE 8"

NOMINAL BRICK FACE 10"

BLUE EDGE FOR IDENTIFICATION

FULL BRICK FACE 8"

FULL BRICK FACE 10"



ULTIMATE LOAD (LBS.) 3,000

ALUM. NOM. BASE

6" 8" 10" 12" 14" 16" 18" 20"

ALUM FULL BASE

6" 8" 10" 12" 14" 16" 18" 20"

18 Phelps Street, Binghamton, NY 13901

Fax: (607) 722-0496

Email: sales@binghamtonprecast.com

Phone: (607) 722-0334

Toll Free: 1-800-336-1474




- ALUMINUM FORMING SYSTEM -

Accessories



STEEL/PLYWOOD FORMING SYSTEM –







18 Phelps Street, Binghamton, NY 13901

Fax: (607) 722-0496 Toll Free: 1-800-336-1474

Phone: (607) 722-0334

Email: sales@binghamtonprecast.com Website: www.binghamtonprecast.com

Lg

Concrete Forms and Accessories

- STEEL/PLYWOOD FORMING SYSTEM -



WALL TIES X-FLAT STANDARD 1/4" BREAK BACK-ROLLED EDGES ULTIMATE LOAD (LBS.) 6,000

4" thru 48" stock items. Over 48" built upon request.




ULTIMATE LOAD (LBS.) 7,000 4" thru 48" stock items. Over 48" built upon request.



STANDARD & HEAVY DUTY LOOP TIES STD. LOOP PANEL


6" 8" 10" 12" 14" 16" 18" 20" 22" 24"




H.D. LOOP PANEL

(M) - TYPE TIE ULTIMATE LOAD (LBS.) 7,000 6" 8" 10" 12" 14" 16"

Over 16" built upon request.





HAND-SET PANELS AND FILLERS
All Panels Available in 3', 4', 5', 6', 8', 9' heights.
1" thru 24" in width.

18 Phelps Street, Binghamton, NY 13901

Fax: (607) 722-0496

Email: sales@binghamtonprecast.com

Phone: (607) 722-0334

Toll Free: 1-800-336-1474



- STEEL/PLYWOOD FORMING SYSTEM -



A. FAST-LOCK

ULTIMATE LOAD (LBS.) 3,000 6" 8" 10" 12" 14" 16" COMPATIBLE WITH DURAFORM ONE LOCK SYSTEM.

Additional sizes upon request.

B. EMI ECONOMY FORMING TIE

4" 6" 8" 10" 12" 14" 16" 18" 20" 22" 24" COMPATIBLE WITH THE EFCO FORMING SYSTEM.

WALL SIZE 1/2" BREAK BACK
WALL SIZE 1" BREAK BACK

Additional sizes upon request.

C. EMI EB TIE

6" 8" 10" 12" 14" 16" 18" 20" 22" 24" COMPATIBLE WITH THE BURKE ALUMINUM HAND-SET FORM. Additional sizes upon request.

D. EMI "U" TIE

6" 8" 10" 12" COMPATIBLE WITH THE UNI-FORM FORMING SYSTEM.

Additional sizes upon request.

E. SNAP TIE

(4-3/4 END) SNAP TIE

6" 8" 10" 12" 14" 16" 18" 20" 22" 24"

(8-1/4 END) SNAP TIE

6" 8" 10" 12" 14" 16" 18" 20" 22" 24" Additional sizes upon request.

F. HEAVY WEDGE

G. RESIDENTIAL WALL TIES RESIDENTIAL

6" 8" 10" 12" Additional sizes upon request.

H. ANCHOR BOLTS ANCHOR BOLTS

3/8x6" 3/8x8" 3/8x10" 3/8x12" 1/2x6" 1/2x8" 1/2x10" 1/2x12" 1/2x16" 5/8", 3/4", 1" Available upon request.

I. ANCHOR CLIPS

14 3/4" length

J. PLANK PROTECTOR

2"x8" PLANK PROTECTOR 2"x10" PLANK PROTECTOR 2"x12" PLANK PROTECTOR

Protects the ends of scaffold planks from splitting.

K. SCAFFOLD TIE

L. STEEL STAKES

RND NAIL 3/4x12" RND NAIL 3/4x18" RND NAIL 3/4x24" RND NAIL 3/4x30" RND NAIL 3/4x36" RND NAIL 3/4x42" RND NAIL 3/4x48"

RND NAIL 7/8x18" RND NAIL 7/8x24" RND NAIL 7/8x30" RND NAIL 7/8x36" RND NAIL 7/8x42" RND NAIL 7/8x48"

FLAT NAIL 12" FLAT NAIL 18" FLAT NAIL 24" FLAT NAIL 30" FLAT NAIL 36" FLAT NAIL 42" FLAT NAIL 48"

M. CONSTRUCTION NAILS

DUPLEX 8DH DUPLEX 16DH COMMON 16 COMMON 6 COMMON 8 FLUTED 2 1/2" FLUTED 1 1/2"

N. HAND TWIST TOOL

O. BLACK ANNEALED BAR TIES 16 GUAGE

5" 6" 7" 8" 10" Other guages and sizes available upon request.

P. REBAR TIE WIRE

Q. IDEAL REAL

R. FOUNDATION VENT

This complete ventilation system is ready to install in a self-contained frame for ease in adapting to any wall condition

S. ALUMINUM CHUTES

8', 12', 16' and 20'

T. 5' TRUNK

U. STANDARD 11"

V. STEEL REINFORCED SAFETY CAP

COMPLIES WITH OSHA 701 (B).
APPROVED BY CALIFORNIA OSHA.
APPROVAL #01705-AG. "REBAR
GUARDED IN ACCORDANCE WITH
SECTIONS 1712 OF THE CALIFORNIA
CODE OF REGULATIONS SHOULD BE
DETERMINED TO BE IN COMPLIANCE
WITH 1926-701 (B)."

W. REBAR SAFETY CAP

Binghamton



18 Phelps Street, Binghamton, NY 13901


Fax: (607) 722-0496


Email: sales@binghamtonprecast.com


Phone: (607) 722-0334


Toll Free: 1-800-336-1474


Fabricated Reinforcing Bar












Binghamton Precast and Supply's automated shear lines, benders and other specialized equipment ensure reinforcing steel is cut, bent and shaped to exacting tolerances for projects of every degree of complexity.

As an integral part of Binghamton Precast and Supply's commitment to client support, the skilled craftsmanship in the fabricating shops ensure customer specifications are matched... the first time, every time.

Services Include:

- Detailed Estimates
- Erection Drawings
- On Site Installation
- Preassembled Box Cages



18 Phelps Street, Binghamton, NY 13901

Fax: (607) 722-0496

Email: sales@binghamtonprecast.com

Phone: (607) 722-0334

Toll Free: 1-800-336-1474

